



NO.212400322489564



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

锂电池类物品

样品名称 : 锂离子电池包 BL2600C186502S1PFQU 7.3V 2600mAh 18.98Wh

Sample name: Lithium-ion Battery Pack BL2600C186502S1PFQU 7.3V 2600mAh 18.98Wh

委托单位 : 环球特科(苏州)电源科技有限公司
Globtek (Suzhou) Co., Ltd

生产单位 : 环球特科(苏州)电源科技有限公司
Globtek (Suzhou) Co., Ltd



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212400322489564

Page 1/3

样品名称 Sample Name	中文 Chinese	锂离子电池包 BL2600C186502S1PFQU 7.3V 2600mAh 18.98Wh		
	英文 English	Lithium-ion Battery Pack BL2600C186502S1PFQU 7.3V 2600mAh 18.98Wh		
委托单位 Applicant	环球特科(苏州)电源科技有限公司 Globtek (Suzhou) Co.,Ltd			
生产单位 Manufacturer	环球特科(苏州)电源科技有限公司 Globtek (Suzhou) Co.,Ltd			
检验方法、程序 Inspection method and procedure	国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)			
样品外观 Sample appearance	蓝色塑料薄膜外壳 Blue Plastic film shell			
包装件信息 Package information	重量≤30kg。 weight ≤30kg.			
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂离子电池组 Rechargeable Li-ion battery	BL2600C186502S1PFQU	2600mAh 18.98Wh	电池单独运输 Battery only
鉴定结论 IDENTIFICATION CONCLUSION	1. 危险性识别(Hazards identification) 锂离子电池。 Lithium ion battery.			
	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.			
备注 Comment	3. 包装要求(Packaging requirements) 无。 None.			
	检验日期: 2024-01-01 签发日期: 2024-01-01 生效日期: 2024-01-01 Inspection Date: Issue Date: Effective Date:			

检验专用章
(35)


 主检: 孙清

批准: 毛军
Approver: 毛军

审核: 董学胜
Checker: 董学胜

主检: 孙清
Appraiser: 孙清




运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212400322489564

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.</p>
2	<p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812300500538605 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内, 位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.</p>
4	<p>电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件, 符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第1B部分规定的, 黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签, 应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10中显示电话号码附加信息的锂电池标记, 可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section 1B of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026.</p>
6	/
7	/

-验证码:910123-





运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212400322489564

Page 3/3



GlobTek, Inc.
www.globtek.com

Model: BL2600C186502S1PFQU
PN: BL2600C186502S1PFQU

Li-ion Battery Pack 7.3V, 2600mAh, 18.98Wh

CAUTION:
-May explode if disposed of in fire
-Use specified charger only.
-Do not short circuit.
-Do not disassemble.

21NR19/66
MADE IN CHINA

Diagram of a battery cell with terminals labeled P+ (Red), P- (Black), SCL (Green), and SDA (White).

CE (3.5)
202304

上海华工检测有限公司

报告结束

