



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2015010907777953

**NAME AND ADDRESS OF THE APPLICANT**

GlobTek, Inc.  
186 Veterans Dr. Northvale, NJ 07647 / USA

**NAME AND ADDRESS OF THE MANUFACTURER**

GlobTek, Inc.  
186 Veterans Dr. Northvale, NJ 07647 / USA

**NAME AND LOCATION OF THE FACTORY**

GlobTek (Suzhou) Co., Ltd  
Building 4, No. 76 JinLing East Road, Suzhou Industrial Park, Suzhou, JiangSu, 215021, China.

**PRODUCT NAME, MODEL AND SPECIFICATION**

ITE Power Supply  
See appendix , Altitude up to 5000m

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022 ( Class A ) ; GB 4943.1-2022; GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of  
implementation rules for compulsory certification (REFNO. CNCA-C09-01:2023).

**Valid from:** Jan.29,2024

**Valid until:** Jan.28,2029

Date of original issued: May.31,2015

The certificate information and validity could be checked by scanning the QR code below or logging in to  
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



**SIGNATURE:**

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2015010907777953

Appendix: Page 1 of 1

Model: GT-43007-\*\*\* (The first“\*” represents the rated output power; values 01-40, step 1; the second“\*” represents the standard rated output voltage, values 12,24,36 or 48; The third“\*” represents the output voltage variable, is the standard rated output voltage to do the difference, can be“-11.9”“-0.1” or blank, step size 0.1; Rated output voltage determined by the second and third“\*”, step 0.1 v, when the voltage is 12V, 24V, 36V, 48V, the third“\*” blank), The rated input is: 100-240V~, 50-60Hz, 1.0A, The output specifications are shown in the following table.

Model	DC output voltage	Maximum output current	Maximum output power
GT-43007-*12	12Vdc	3.33A	40W
GT-43007-*24*	12.1-24Vdc	3.33A	40W
GT-43007-*36*	24.1-36Vdc	1.67A	40W
GT-43007-*48*	36.1-48Vdc	1.11A	40W

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE